

## Copper Flashed Nut Flanged & Self Locking M8 x 1.25 x

A pack of M8 x 1.25 pitch x 13mm Hex self-locking flanged nuts for use with exhaust manifold studs. The slight oval shape these nuts provides anti-vibration properties and allows them to act as a self-locking nut, with it's full metal construction making it suitable for use on high temperature components. The flanged base allows for the pressure to be distributed over a greater contact area, with the copper flashing providing an anti-seize coating which helps to eliminate seizure on the manifold studs.



## **Additional Information**

- Applications include: Fiat, Opel, Vauxhall.
- Equivalent to: OEM 2066915, OEM 2066156.
- Thread size: M8, Pitch: 1.25, Hex: 13mm.
- · Flange diameter: 17.8mm.
- Suitable for use with exhaust manifold studs: Part Nos. 35416 (M8 x 1.25 x 35mm), 35417 (M8 x 1.25 x 45mm), 35418 (M8 x 1.25 x 35mm), 35419 (M8 x 1.25 x 47mm), 35420 (M8 x 1.25 x 37mm), 35421 (M8 x 1.25 x 47mm), 35422 (M8 x 1.25 x 41mm), 35424 (M8 x 1.25 x 42mm), 35426 (M8 x 1.25 x 43mm).

http:///product/30741



Distributed by The Tool Connection Ltd. (ineton Road | Southam | Warwickshire | CV47 0DR '| +44 (0) 1926 815 800 F | +44 (0) 1926 815 888 ! info@toconnection co.uk www.toolconnection.co



3074







**Related Tools** 



## Stud Remover & Installer 9pc | 7804

- Contents: M6 x 1.0, M8 x 1.25, M10 x 1.25, M10 x 1.5 and 6mm Hex Key.
- Suitable for the most popular cylinder head and manifold stud sizes.
- Use 6mm Hex key (supplied) to lock the tool on to the stud.
- Packed in an EVA foam storage tray.



 Distributed by The Tool Connection Ltd.

 Kineton Road | Southam | Warwickshire| CV47 0DR

 Info@toolconnection.co.uk

 Info@toolconnection.co.uk

